Technical support: order@acebiolab.com

Phone: 886-3-2870051

Ver.1 Date: 20180222

Histone Deacetylase (HDAC) Antibody Sampler Kit

Cat# AK0169

Upon receipt, store at -20°C. Avoid freeze/thaw cycles.

PRODUCT DESCRIPTION

Acetylation of the histone tail causes chromatin to adopt an "open" conformation, allowing increased accessibility of transcription factors to DNA. The identification of histone acetyltransferases (HATs) and their large multiprotein complexes has yielded important insights into how these enzymes regulate transcription. HAT complexes interact with sequence-specific activator proteins to target specific genes. In addition to histones, HATs can acetylate nonhistone proteins, suggesting multiple roles for these enzymes. In contrast, histone deacetylation promotes a "closed" chromatin conformation and typically leads to repression of gene activity. Mammalian histone deacetylases can be divided into three classes on the basis of their similarity to various yeast deacetylases. Class I proteins (HDACs 1, 2, 3, and 8) are related to the yeast Rpd3-like proteins, those in class II (HDACs 4, 5, 6, 7, 9, and 10) are related to yeast Hda1-like proteins, and class III proteins are related to the yeast protein Sir2. Inhibitors of HDAC activity are now being explored as potential therapeutic cancer agents.

PRODUCT INCLUDES

| Cat No. | Product name | Quantity | Applications | Reactivity | Host |
|---------|---|----------|--------------------|-------------|--------|
| A340538 | HDAC1 Polyclonal Antibody | 20μL | WB, IHC, ELISA | Human, | Rabbit |
| | | | | Mouse, Rat | |
| | | | | Human, | |
| A340539 | HDAC2 Polyclonal Antibody | 20μL | WB, IHC, ELISA | Mouse, Rat, | Rabbit |
| | | | | Monkey | |
| A340294 | Phospho-HDAC2 (Ser394) Polyclonal Antibody | 20μL | WB, ELISA | Human, | Rabbit |
| | | | | Mouse, Rat, | |
| | | | | Monkey | |
| A340540 | HDAC3 Polyclonal Antibody | 20μL | WB, IHC, IF, ELISA | Human, | Rabbit |
| | | | | Mouse, Rat | |
| A340541 | HDAC4 Polyclonal Antibody | 20μL | WB, ELISA | Human, | Rabbit |
| | | | | Mouse, Rat | |
| A340232 | Phospho-HDAC4 (Ser632) Polyclonal | 20μL | WB, ELISA | Human, | Rabbit |
| | Antibody | | | Mouse, Rat | |



| HDAC5 Polyclonal Antibody | 20μL | WB, IHC, IF, ELISA | Human, Mouse | Rabbit |
|-----------------------------------|---|---|---|---|
| Phospho-HDAC5 (Ser498) Polyclonal | 20μL | WB, IHC, IF, ELISA | Human, | Rabbit |
| Antibody | | | Mouse | |
| HDAC5/9 Polyclonal Antibody | 20μL | WB, IHC, ELISA | Human, | Rabbit |
| | | | Mouse | |
| HDAC6 Polyclonal Antibody | 20μL | WB, IHC, IF, ELISA | Human, | Rabbit |
| | | | Mouse | |
| Phospho-HDAC6 (Ser22) Polyclonal | 20μL | WB, IHC, IF, ELISA | Human, | Rabbit |
| Antibody | | | Mouse | |
| Goat Anti-Rabbit IgG (H+L) | 120μL | WB, ELISA | Rabbit | Goat |
| (peroxidase/HRP conjugated) | | | | GUAL |
| | Phospho-HDAC5 (Ser498) Polyclonal Antibody HDAC5/9 Polyclonal Antibody HDAC6 Polyclonal Antibody Phospho-HDAC6 (Ser22) Polyclonal Antibody Goat Anti-Rabbit IgG (H+L) | Phospho-HDAC5 (Ser498) Polyclonal Antibody HDAC5/9 Polyclonal Antibody 20μL HDAC6 Polyclonal Antibody 20μL Phospho-HDAC6 (Ser22) Polyclonal Antibody Goat Anti-Rabbit IgG (H+L) | Phospho-HDAC5 (Ser498) Polyclonal Antibody 20μL WB, IHC, IF, ELISA WB, IHC, IF, ELISA Phospho-HDAC6 (Ser22) Polyclonal Antibody Goat Anti-Rabbit IgG (H+L) 120μL WB, ELISA | HDAC5 Polyclonal Antibody Phospho-HDAC5 (Ser498) Polyclonal Antibody Antibody 20μL WB, IHC, IF, ELISA Mouse Human, Mouse Human, Mouse Human, Mouse Human, Mouse HDAC5/9 Polyclonal Antibody 20μL WB, IHC, ELISA Human, Mouse Human, Mouse Phospho-HDAC6 (Ser22) Polyclonal Antibody Antibody Mouse Phospho-HDAC6 (Ser22) Polyclonal Antibody Mouse Human, Mouse Human, Mouse Human, Mouse Human, Mouse Human, Mouse Rabbit |

PRODUCT USE LIMITATION

These products are intended for research use only.

